

PTO - 948
(Rev. 8-82)

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

GROUP

ATTACHMENT TO PAPER NUMBER	4
S.N.	512791

NOTICE OF PATENT DRAWINGS OBJECTION

PTO draftsmen now review both
formal and informal drawings.

The examiner will require
submission of formal drawings
at the appropriate time.

Drawing Corrections and/or new drawings may only be
submitted in the manner set forth in the attached letter,
"Information on How to Effect Drawing Changes" PTO-1474.

A. ☒ The drawings, filed on 3/22/90, are objected to as informal for reason(s)
checked below:

- | | |
|--|---|
| 1. <input type="checkbox"/> Lines Pale. | 11. <input type="checkbox"/> Parts in Section Must Be Hatched. |
| 2. <input type="checkbox"/> Paper Poor. | 12. <input type="checkbox"/> Solid Black Objectionable. |
| 3. <input type="checkbox"/> Numerals Poor. | 13. <input type="checkbox"/> Figure Legends Placed Incorrectly. |
| 4. <input type="checkbox"/> Lines Rough and Blurred. | 14. <input type="checkbox"/> Mounted Photographs. |
| 5. <input type="checkbox"/> Shade Lines Required. | 15. <input type="checkbox"/> Extraneous Matter Objectionable.
[37 CFR 1.84 (1)] |
| 6. <input type="checkbox"/> Figures Must be Numbered. | 16. <input type="checkbox"/> Paper Undersized; either 8½" x 14",
or 21.0 cm. x 29.7 cm. required. |
| 7. <input type="checkbox"/> Heading Space Required. | 17. <input checked="" type="checkbox"/> Proper A4 Margins Required:
<input type="checkbox"/> TOP 2.5 cm. <input checked="" type="checkbox"/> RIGHT 1.5 cm.
<input checked="" type="checkbox"/> LEFT 2.5 cm. <input type="checkbox"/> BOTTOM 1.0 cm. |
| 8. <input type="checkbox"/> Figures Must Not be Connected. | 18. <input checked="" type="checkbox"/> Other:
<u>Fig 1, 5, 6, 7, 9, 11</u>
<u>Remove deleted parts/phases</u>
<u>(Fig 9)</u> |
| 9. <input type="checkbox"/> Criss-Cross Hatching Objectionable. | |
| 10. <input type="checkbox"/> Double-Line Hatching Objectionable. | |

B. ☒ The drawings, submitted on 3/22/90, are so informal they cannot be
corrected. New drawings are required. Submission of the new drawings MUST be
made in accordance with the attached letter.